



IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Robert E. Fischell, et al. :  
Serial No: 10/642,245 : Art Unit #  
Filed : 18 August 2003 : Examiner:  
Title : SYSTEM FOR THE DETECTION OF CARDIAC :  
EVENTS

ASSOCIATE POWER OF ATTORNEY

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Please recognize Morton J. Rosenberg, Esq., Registration #26,049, David I. Klein, Esq., Registration #33,253; Jun Y. Lee, Esq., Registration #40,262; David R. Wood, #53,868; and Rajiv Shah, #56,247 of the Law Firm of Rosenberg, Klein & Lee, 3458 Ellicott Center Drive-Suite 101, Ellicott City, Maryland 21043, as my Associates in the above-identified Patent Application, with full powers of prosecution before the U.S. Patent and Trademark Office connected therewith. This Associate Power of Attorney is to include the conducting of any and all business before the U.S. Patent and Trademark Office.

Please send all correspondence to:


Rosenberg, Klein & Lee  
3458 Ellicott Center Drive-Suite 101  
Ellicott City, Maryland 21043

Please direct all telephone calls to: (410) 465-6678

Respectfully submitted,

June 6, 2006  
Date:

Robert E. Fischell  
Robert E. Fischell  
14600 Viburnum Drive  
Dayton, MD 21036



IFW

PTO/SB/122 (01-06)

Approved for use through 12/31/2008. OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## CHANGE OF CORRESPONDENCE ADDRESS *Application*

Address to:  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Application Number	10/642,245
Filing Date	18 August 2003
First Named Inventor	Robert E. Fischell, et al.
Art Unit	
Examiner Name	
Attorney Docket Number	MR3065-19

Please change the Correspondence Address for the above-identified patent application to:

☒ The address associated with  
Customer Number:

04586

OR

☒ Firm or  
Individual Name Rosenberg Klein & Lee

Address 3458 Ellicott Center Drive, Suite 101

City Ellicott City

State  
MD

Zip 21043

Country USA

Telephone 410-465-6678

Email  
rkl@rklpatlaw.com

This form cannot be used to change the data associated with a Customer Number. To change the data associated with an existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124).

I am the:

- ☐ Applicant/Inventor
- ☐ Assignee of record of the entire interest.  
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).
- ☒ Attorney or agent of record. Registration Number 26,049
- ☐ Registered practitioner named in the application transmittal letter in an application without an executed oath or declaration. See 37 CFR 1.33(a)(1). Registration Number \_\_\_\_\_

Signature

Typed or Printed  
Name

Morton J. Rosenberg

Date 20 June 2006

Telephone 410-465-6678

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below".

☐ \*Total of \_\_\_\_\_ forms are submitted.

This collection of information is required by 37 CFR 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.